What is claimed is:

1. A method for network navigation, the method comprising:

downloading to a computer system a page associated with a bookmark;

determining non-local links within the page; and

displaying, on the computer system, indicators associated with the non-local links.

2. The method of claim 1, wherein the displaying includes displaying the indicators next to an entry on a bookmark list associated with the page.

3. The method of claim 2, wherein the displaying includes selectively displaying the indicators in response to a selecting action by a user.

4. The method of claim 3, wherein the downloading and the determining are actuated by the selecting action.

5. The method of claim 3, wherein the indicators are stored on the computer system, and the displaying includes displaying the stored indicators.

6. The method of claim 5, wherein the selecting action actuates updating of the stored indicators by the downloading and the determining.

7. The method of claim 3, wherein the selecting action includes hovering over the entry.

8. The method of claim 1, wherein the determining includes parsing source code of the page.

9. The method of claim 8, wherein the parsing includes examining the source code for anchor tags.

19

10. The method of claim 9, wherein the parsing includes examining the tags to determine whether links associated with the anchor tags are local links.

11. The method of claim 9, wherein the determining includes extracting text from the anchor tags for the indicators.

12. The method of claim 1, wherein the indicators are stored on the computer system, and the displaying includes displaying the stored indicators.

13. The method of claim 12, wherein the stored indicators are updated by periodically performing the downloading and the determining.

14. A computer program, for network navigation, embodied in a computer readable medium, comprising:
    code that downloads a page associated with a bookmark;
    code that determines non-local links within the page; and
    code that displays indicators associated with the non-local links.

15. The computer program of claim 14, wherein the code that displays includes code that displays the indicators next to an entry on a bookmark list associated with the page.

16. The computer program of claim 15, wherein the code that displays includes code that selectively displays the indicators in response to a selecting action by a user.

17. The computer program of claim 16, wherein the code that downloads and the code that determines are actuated by the selecting action.

18. The computer program of claim 16, wherein the code that displays includes code that displays stored indicators stored on a computer system.

19. The computer program of claim 18, further comprising code that updates the stored indicators by the downloading and the determining in response to the selecting action.

20. The computer program of claim 14, wherein the code that determines includes code that parses source code of the page.

21. The computer program of claim 20, wherein the code that parses includes code that examines the source code for anchor tags.

22. The computer program of claim 21, wherein the code that parses includes code that examines the tags to determine whether links associated with the anchor tags are local links.

23. The computer program of claim 22, wherein the code that determines includes code that extracts text from the anchor tags for the indicators.

24. A system for network navigation, comprising:
    a processor coupled to a local interface;
    a memory coupled to a local interface; and
    processing logic stored on the memory and executable by the processor including:
        logic that downloads a page associated with a bookmark;
        logic that determines non-local links within the page; and
        logic that generates a display that includes indicators associated with the non-local links.

21

25. A system for network navigation, comprising:

means for downloading to a computer system a page associated with a bookmark;

means for determining non-local links within the page; and

5　　means for displaying, on the computer system, indicators associated with the non-local links.

26. A method for network navigation, the method comprising:

downloading to a computer system a page associated with a bookmark;

10　　determining non-local links within the page, wherein the determining includes:

parsing source code of the page, wherein the parsing includes:

examining the source code for anchor tags; and

examining the tags to determine whether links associated

15　　with the anchor tags are local links; and

extracting text from the anchor tags for indicators associated with the non-local links; and

displaying the indicators on the computer system, wherein the displaying includes:

20　　displaying the indicators next to an entry on a bookmark list associated with the page; and

selectively displaying the indicators in response to a selecting action by a user.

25